

These drawings and specifications are the property of H2W Technologies, Inc. They are issued in confidence and shall not be reproduced, copied, or used without writter permission from H2W Technologies, Inc. (www.h2wtech.com)

l	REVISION TABLE						
	REV	ECN#	DESCRIPTION	REV BY	APPROVED	DATE	
			Original Drawing	SDC	MPW	5/12/15	





H2W Technologies, Inc. 26380 Ferry Court Santa Clarita, CA 91350 USA Tel: (661) 291-1620 Fax: (661) 291-1626 www.h2wtech.com

UNLESS SPECIFIED OTHERWISE:
All dimensions are in inches
Standard Tolerances are as follows
XXX ±.005 ANGLES ±1°
XX ±.010 FILLETS .010
X ±.020 CORNERS .010
Remove All Burrs and Sharp Edges

MATERIAL TITLE

MPW

05/12/15

DATE 05/12/15


SDC


Ironless Motor Coil Model #: BLDM-C06 20-0217

1 of 3


Standard Cable Length = 1 meter

OPTIONAL HALL MODULE MUST BE IN MAGNET TRACK FOR COMMUTATION





MOTOR COIL SHOWN WITH MAGNET TRACK



Ironless Motor Coil
Model #: BLDM-C06

20-0217

REV ---

SHEET 2 of 3

Motor Specifications							
BLDM-C06							
General							
Continuous Force	lbs [N]	19.5 [87]					
Continuous Current	Amps	1.9					
Continuous Power	Watts	74.3					
Peak Force @ 10% Duty	lbs [N]	58 [260]					
Peak Current @ 10% Duty	Amps	5.7					
Peak Power @ 10% Duty	Watts	668.7					
Electrical							
Force Constant	lbs/Amp [N/Amp]	10.3 [45.6]					
Back EMF	V/in/sec [V/m/sec]	1.16 [45.6]					
Resistance	Ohms	15.9					
Inductance	mH	15.9					
Electrical Time Constant	msec	1					
Km Motor Constant	lbs/sqW [N/sqW]	2.6 [11.5]					
Mechanical							
Electrical Cycle Length	in [mm]	2.4 [60.96]					
Number of Poles	6						
Coil Assembly Length							
with Hall Sensor	in [mm]	8.5 [215.9]					
without Hall Sensor	in [mm]	7.7 [195.6]					
Coil Assembly Weight	lbs [kg]	1.25 [0.57]					
Magnet Track Weight	lbs/in [kg/m]	0.45 [8.05]					

Wiring					
Motor					
Phase A	White/Red Stripe				
Phase B	White				
Phase C	White/Black Stripe				
Ground	White/Green Stripe				
Thermostat 1	Blue				
Thermostat 2	Orange				
Hall Effect					
Hall A	White				
Hall B	Red				
Hall C	Black				
Hall Ground	Green				
Hall Power (+5-24VDC)	Brown, Orange,				
Tiali FOWEI (TJ-24VDC)	Violet, Yellow				

Ironless Motor Coil
Model #: BLDM-C06

^{WG #} **20-0217**

REV ---

SHEET 3 of 3